



Web

Results 11 - 20 of about 380,000 for replica number upper bound (0.11 seconds)

Show options...

1. [PPT] Effective Replica Maintenance for Distributed Storage Systems

File Format: Microsoft Powerpoint - View as HTML

Θ is the theoretical upper limit of replica number; bandwidth $\uparrow \cdot \mu \uparrow \cdot \Theta \dots$ Chernoff bound: $2rL/\alpha$
 replicas are needed to keep rL copies available ...

https://tao.trustsc.org/Members/hweather/advanced_storage/_/downloads

2. Welcome to IEEE Xplore 2.0: A Scalable Autonomous Replica ..

Dec 11, 2006 ... INSPEC Accession Number: 9274871 ... Typical requirements for a replica management system include an upper bound on replica round trip time. ...

IEEE Xplore Digital Library

by V Vlassov - 2006 - Cited by 3 - Related articles

3. [REDACTED] (Microsoft Word - AdaptiveReplicaManagementforObject)

File Format: PDF/Adobe Acrobat - Quick View

maintenance cost as functions of replica number and suggests lower bound and upper bound on replica reference number based on file availability requirement.

storageconference.org/2006/Papers/2006-007-Wei.pdf

4. System and method for allocating requests for objects and managing

Thus, by increasing the **number of replicas**, the load on this **replica** can be an existing **replica** of the object, updates its **upper bound** load estimate.

www.freepatentsonline.com/6256675/description.html

5. **res1**: On the Placement of Web Server Replicas

File Format: Adobe PostScript - View as HTML

is specified as an input that is an upper bound on the number ... the maximum number of replicas, but do not restrict the number.

do not restrict the number ...
research.microsoft.com/~en_ucl/um/people/nadmaneh/~fsecom2001.pdf

research.microsoft.com/en-us/um/people/padilla/lab/.../by-L-Qiu. Cited by 435. Related articles. All 40 versions

6. [Scientific Commons: SONDe, Self-Organizing Replica Placement in ...](#)

Given an object (service or data), SONDe provides a peer with a constant **upper bound** on the number of logical hops to access a **replica** holder (provider), ...
en.scientificcommons.org/18206411 - [Cached](#)

7. [A Novel Hamiltonian Replica Exchange MD Protocol to Enhance ...](#)

These **upper bounds** were determined assuming the NOE intensity to be Among all of the **replicas**, **number** 2 displays the most skewed and **number** 3 the most ...
pubs.acs.org/doi/abs/10.1021/ct050250b - [Similar](#)
 by R Affentranger - 2006 - [Cited by 29](#) - [Related articles](#) - [All 2 versions](#)

8. [\[PDF\] Salsa: Scalable Asynchronous Replica Exchange for Parallel ...](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)
 Aug 16, 2006 ... shared exch-temp-upper-bound) space get(?temp, engy) Uses multiplexed-replicas with a **number** of independent molecular dynamics runs ...
www.caip.rutgers.edu/TASSL/Papers/seine-salsa-icpp-06-slides.pdf
 by L Zhang - [Cited by 6](#) - [Related articles](#) - [All 9 versions](#)

9. [\[cond-mat/0208280\] Replica bounds for optimization problems and ...](#)

Aug 14, 2002 ... In the case of K-SAT the **replica** method thus gives **upper bounds** of the satisfiability threshold. Comments: 18 pages, 1 figure ...
[arxiv.org](http://arxiv.org/abs/cond-mat/0208280) › cond-mat - [Cached](#) - [Similar](#)
 by S Franz - 2002 - [Cited by 67](#) - [Related articles](#) - [All 11 versions](#)

10. [CCMS Algebra/Number Theory/Combinatorics Seminar](#)

I will show two applications of the bound: Computing new **upper bounds** for ... The Waring rank of a polynomial of degree d is the least **number** of terms in an ...
pages.pomona.edu/~sshahriari/AlgCombSeminar.html - [Cached](#) - [Similar](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

replica number upper bound	Search
----------------------------	--------

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

